

## Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor Diameter 50mm 60mm 70mm

Our Product Introduction

### Basic Information

- Place of Origin: China Jiangsu
- Brand Name: Winroller
- Certification: CE,SGS,ISO9001,ROHS,UL
- Model Number: Winroller Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor
- Minimum Order Quantity: 1stick
- Price: Contact Us
- Packaging Details: Wooden case
- Delivery Time: 7-15 word days
- Payment Terms: TT, L/C
- Supply Ability: 1000000/year



### Product Specification

- Product Name: Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor
- Roller Material: Galvanized Steel, Stainless Steel
- Pipe Diameter: 50mm, 60mm, 70mm, Customised
- Application: For Curved Conveyor
- Drive Model: Poly-V Belt
- Covering Material: Natural Rubber, Nitrile Rubber, Polyurethane
- Cone Sleeve Length: 300MM, 350MM, 400MM, 450MM, 500MM, 550MM, 600MM, 650MM, 700MM, 750MM, 800MM, 850MM
- Advantage: High Speed, Low Noise
- Highlight: **Tapered Drive Rollers For Conveyors,  
Customised Drive Rollers For Conveyors,  
Customised conveyor system rollers**



for more products please visit us on [drum-roller.com](http://drum-roller.com)

## Product Description

### Function of Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor

Poly-V belt pulley drive, high-speed silent  
 Suitable for light and medium load conveying  
 The roller is light and has a good starting performance

**Remark:**


Both galvanized steel and stainless steel tube are available

### Application of Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor

Used to facilitate the turning of items in various transportation and logistics systems, they play a crucial role in many industries: Express E-Commerce, Warehousing and distribution, Airport Logistics, etc.

### Technical Parameters of Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor


**Profile and parameter introduction**



Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor

Pipe diameter and wall thickness	Axis center	Sleeve length	D1	D2
φ50*1.5	11hex, φ12/15	300	φ56	φ74.4
		350	φ53.1	φ74.4
		400	φ56	φ80.8
		450	φ53.1	φ80.8
		500	φ56	φ87.1
		550	φ53.1	φ87.1
		600	φ56	φ93.7
		650	φ53.1	φ93.7
		700	φ56	φ100
		750	φ53.1	φ100
		800	φ56	φ106.3
850	φ53.1	φ106.3		

### Feature Picture of Plastic Poly-V Belt Conveyor Roller Tapered Drum For Curved Conveyor



**WIN ROLLER JIANG SU Winroller Technology Co., Ltd.**

+86 18168399322    winroller.market@gmail.com    drum-roller.com

No. 7, Xiye Road, Huishan District, Wuxi City, Jiangsu Province, China